
DISCOVER THE PERFECT SPACE TO LIVE YOUR LIFE AND YOUR DREAMS

Take your pick from well-appointed 1-Bedroom + Study to 5-Bedroom luxury <mark>units</mark> at The Myst. Every layout is designed to be versatile and optimised to meet your family size and anticipate your lifestyle needs.

1-BEDROOM + STUDY


Type A1S 48 sq m / 517 sq ft

BLK 802: #02-14 to #23-14



Type A1S(p) 48 sq m / 517 sq ft

BLK 802: #01-14



61 sq m / 657 sq ft

Type A1S(d)

(includes 13 sq m of strata void above living and dining with 4.5m ceiling height) BLK 802: #24-14

Type A1Sa 48 sq m / 517 sq ft


BLK 802: #02-13 to #23-13

1-BEDROOM + STUDY


Type A1Sa(d)

61 sq m / 657 sq ft (includes 13 sq m of strata void above living and dining with 4.5m ceiling height) BLK 802: #24-13

APPLICABLE TO #08-13 to #24-13




APPLICABLE TO #02-13 to #07-13



Type A1Sa(p) 48 sq m / 517 sq ft

BLK 802: #01-13



* Mirror Image WD - Washer Cum Drver

HS - Household Shelter RC - Reinforced Concrete

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".

DB/ST - Distribution Board/Storage F - Fridge



Keyplan is not drawn to scale



HS - Household Shelter RC - Reinforced Concrete



Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".




Type B1

63 sq m / 678 sq ft

BLK 800: #02-01 to #23-01 BLK 802: #02-09 to #23-09 BLK 802: #02-12* to #23-12*


APPLICABLE TO #12-01 to #24-01 #08-09 to #24-09



APPLICABLE TO #08-12* to #24-12*




APPLICABLE TO #02-01 to #11-01 #02-09 to #07-09 #02-12* to #07-12*



Type B1(p) 63 sq m / 678 sq ft

BLK 800: #01-01 BLK 802: #01-09 BLK 802: #01-12*



DB/ST - Distribution Board/Storage

A/C - Air-Conditioner

RC - Reinforced Concrete

 Mirror Image WD - Washer Cum Drver

Wall not allowed to be hacked or altered P.E.S. - Private Enclosed Space WC - Water Closet

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".

HS - Household Shelter

Keyplan is not drawn to scale


Type B1(d)

78 sg m / 840 sg ft (includes 15 sq m of strata void above living and dining with 4.5m ceiling height)


BLK 800: #24-01 BLK 802: #24-09 BLK 802: #24-12*

BLK 800 : #02-08 to #23-08

Type B1a 63 sg m / 678 sg ft



APPLICABLE TO #02-08 to #11-08



Type B1a(p) 63 sq m / 678 sq ft

BLK 800: #01-08



* Mirror Image WD - Washer Cum Dryer


P.E.S. - Private Enclosed Space WC - Water Closet HS - Household Shelter

DB/ST - Distribution Board/Storage RC - Reinforced Concrete

A/C - Air-Conditioner



Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".





Keyplan is not drawn to scale

2-BEDROOM


Type B1a(d)


78 sq m / 840 sq ft (includes 15 sq m of strata void above living and dining with 4.5m ceiling height)

BLK 800: #24-08

Type B2(p) 68 sg m / 732 sg ft

BLK 800: #01-04





Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".




2-BEDROOM + STUDY

Type B3S

65 sq m / 700 sq ft


BLK 800 : #02-05* to #23-05* BLK 802: #02-17 to #23-17



APPLICABLE TO #12-05* to #24-05*

APPLICABLE TO #08-17 to #24-17





LIVING

BEDROOM 2

A/C LEDGE

Type B3S(p)

BLK 800: #01-05*

65 sq m / 700 sq ft P.E.S. BLK 802 : #01-17


P.E.S. - Private Enclosed Space WC - Water Closet * Mirror Image WD - Washer Cum Dryer HS - Household Shelter RC - Reinforced Concrete A/C - Air-Conditioner

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC - Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".

Type B3S(d)

79 sg m / 850 sg ft (includes 14 sq m of strata void above living and dining with 4.5m ceiling height)

BLK 800: #24-05* BLK 802: #24-17





Type C1

BLK 800: #02-04 to #23-04


79 sg m / 850 sg ft


Type C1(d)

95 sq m / 1023 sq ft (includes 16 sq m of strata void above living and dining with 4.5m ceiling height) BLK 800: #24-04

A/C LEDGE BALCONY A/C LEDGE APPLICABLE TO #12-04 to #24-04 MASTER BEDROOM DINING DENOTES 4.5M CEILING HEIGHT ABOVE LIVING AND DINING WITH STRATA VOID OF 16 SQ M KITCHEN

APPLICABLE TO #02-04 to #11-04





P.E.S. - Private Enclosed Space WC - Water Closet WD - Washer Cum Drver

HS - Household Shelter RC - Reinforced Concrete

DB/ST - Distribution Board/Storage F - Fridge

A/C - Air-Conditioner

Keyplan is not drawn to scale


Type C2 85 sq m / 915 sq ft


BLK 800: #02-07 to #23-07


3-BEDROOM

Type C2(d)

99 sq m / 1066 sq ft (includes 14 sq m of strata void above living and dining with 4.5m ceiling height) BLK 800: #24-07









BLK 800: #01-07





HS - Household Shelter

DB/ST - Distribution Board/Storage F - Fridge RC - Reinforced Concrete

A/C - Air-Conditioner



Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".

Keyplan is not drawn to scale

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC - Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".

3-BEDROOM PREMIUM


Type C3P 96 sq m / 1033 sq ft

BLK 802: #02-15 to #23-15


Type C3P(d)

114 sq m / 1227 sq ft (includes 18 sq m of strata void above living, dining and dry kitchen with 4.5m ceiling height)


BLK 802: #24-15













Type C3P(p) 96 sq m / 1033 sq ft

BLK 802: #01-15





P.E.S. - Private Enclosed Space WC - Water Closet WD - Washer Cum Dryer

DB/ST - Distribution Board/Storage HS - Household Shelter RC - Reinforced Concrete

A/C - Air-Conditioner

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC - Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".




3-BEDROOM PREMIUM

Type C3Pa(d)

114 sq m / 1227 sq ft (includes 18 sq m of strata void above living, dining and dry kitchen with 4.5m ceiling height)

BLK 800: #02-02 to #23-02 BLK 800: #24-02





Type C3Pa

96 sg m / 1033 sg ft

P.E.S. - Private Enclosed Space WC - Water Closet WD - Washer Cum Drver

HS - Household Shelter

DB/ST - Distribution Board/Storage RC - Reinforced Concrete

A/C - Air-Conditioner



Keyplan is not drawn to scale



Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".


3-BEDROOM PREMIUM + STUDY


Type C4PS 108 sq m / 1163 sq ft


BLK 802 : #02-11 to #23-11

Type C4PS(d)

 $128 \; sq \; m \; / \; 1378 \; sq \; ft \\ \text{(includes 20 sq m of strata void above living,} \\ \text{dining and dry kitchen with } 4.5m \; \text{ceiling height)} \\ BLK \; 802 : \#24-11$







Type C4PS(p) 108 sq m / 1163 sq ft

BLK 802: #01-11



Wall not allowed to be hacked or altered

Mirror Image

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall not allowed to be hacked or altered

P.E.S. - Private Enclosed Space

Wall

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC - Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".



3-BEDROOM PREMIUM + STUDY


Type C4PSa 108 sg m / 1163 sg ft


BLK 800: #02-06 to #23-06

Type C4PSa(d)


128 sq m / 1378 sq ft (includes 20 sq m of strata void above living, dining and dry kitchen with 4.5m ceiling height)

BLK 800: #24-06






APPLICABLE TO #02-06 to #11-06



Type C4PSa(p)
108 sq m / 1163 sq ft
BLK 800: #01-06





P.E.S. - Private Enclosed Space WC - Water Closet
WD - Washer Cum Dryer HS - Household Shelter

DB/ST - Distribution Board/Stora r RC - Reinforced Concrete






Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".



Type D1(p) 135 sq m / 1453 sq ft

BLK 802: #01-16





WD - Washer Cum Dryer

HS - Household Shelter RC - Reinforced Concrete

DB/ST - Distribution Board/Storage F - Fridge

A/C - Air-Conditioner

Keyplan is not drawn to scale

Type D2

141 sq m / 1518 sq ft


BLK 800: #02-03 to #23-03

4-BEDROOM


Type D2(d)

172 sq m / 1851 sq ft (includes 31 sq m of strata void above living, dining and dry kitchen with 4.5m ceiling height)


BLK 800 : #24-03



APPLICABLE TO #13-03 #14-03 #17-03 #18-03 #21-03 #22-03




APPLICABLE TO #02-03 to #11-03



Type D2(p) 141 sq m / 1518 sq ft

BLK 800 : #01-03



Mirror Image

P.E.S. - Private Enclosed Space WC - Water Closet WD - Washer Cum Dryer

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".

DB/ST - Distribution Board/Storage F - Fridge HS - Household Shelter RC - Reinforced Concrete





Keyplan is not drawn to scale

Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".

Type D2


141 sq m / 1518 sq ft

BLK 802: #02-10 to #23-10

Type D2(d)

 $172 \; sq \; m \; / \; 1851 \; sq \; ft \\ \text{(includes 31 sq m of strata void above living,} \\ \text{dining and dry kitchen with 4.5m ceiling height)}$

BLK 802: #24-10



Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC - Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".



Type E1

157 sq m / 1690 sq ft


BLK 802: #02-16 to #23-16


5-BEDROOM

Type E1(d)

 $189 \; sq \; m \; / \; 2034 \; sq \; ft \\ \text{(includes 32 sq m of strata void above living,} \\ \text{dining and dry kitchen with 4.5m ceiling height)}$

BLK 802: #24-16








Area includes air-conditioner (A/C) ledge, balcony and strata void area where applicable, and excludes among others, the RC – Reinforced Concrete Ledge. The demarcated strata void area is measured mid-wall to mid-wall. The plans are subject to change as may be approved by relevant authorities. All floor plans are approximate measurements only and are subject to final survey. The balcony shall not be enclosed unless with the approved balcony screen, more particularly illustrated under the header "Approved Balcony Screen".




APPROVED BALCONY SCREEN

TYPICAL UNITS



Typical Retractable Balcony Screen (Fully Closed) - Plan

Typical Retractable Balcony Screen (Fully Retracted) - Plan




The balcony shall not be enclosed unless with the Approved Balcony Screen as shown above. The cost of Approved Balcony Screen and installation shall be borne by the Purchaser. Where required to facilitate installation, the Architect reserves the right to determine appropriate details not limited to fixing details and colour tones.



Singapore's Trusted Property Pioneer Since 1963

City Developments Limited (CDL) is a leading global real estate company with a network spanning 143 locations in 28 countries and regions. Listed on the Singapore Exchange, the Group is one of the largest companies by market capitalisation. Its income-stable and geographically diverse portfolio comprises residences, offices, hotels, serviced apartments, student accommodation, retail malls and integrated developments.

With a proven track record of 60 years in real estate development, investment and management, CDL has developed over 50,000 homes and owns around 21 million square feet of gross floor area in residential for lease, commercial and hospitality assets globally.



Singapore